

**AUTOMATIC BEV® BURNER** 

contact with the liquid fuel.

## FIRE LINE AUTOMATIC 3 (590mm)

## AUTOMATIC BEV® BURNER

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapours and has no direct

Net Zero fireplace with the BEV Technology®

#### FLAME CONTROL

Have control over the fire and take advantage of the 6-stage flame height regulation.

The burner has an intuitive control panel and inlet for automatic refuelling.

### REMOTE CONTROL

Control the fire with the included remote, app on your smartphone or home automation system.

### O-TL

#### BEST BUILD QUALITY

### **OPTIONAL DECORATIVE TRAY**

**AUTOMATIC REFILLING SYSTEM** 

risk of overfilling the tank or spilling the fuel.

The automatic pump communicates with the device,

delivering the necessary amount of fuel. There is no

Decorative tray with ceramic logs or white stones installed on the burner, behind the fireline.



The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (callectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estappel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. (ustomers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



### Fire Line Automatic 3 (590mm)

### (BEV Technology®)

Fuel tank capacity	3.1 L
Maximum burn time	6 hours
Maximum heat output	3.1 kW
Minimum room cubature	31 m³
Flame height regulation	6 stages
Weight	19.9 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

#### CONTROL OPTIONS







included optional

'FLA3 NET-ZERO' APP












Tunnel, Room Divider and Island housings require additional glass screens (available separately)



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons octing on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o. 's terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estappel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o. 's products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



**AUTOMATIC BEV® BURNER** 

contact with the liquid fuel.

# FIRE LINE AUTOMATIC 3 (790mm)

### AUTOMATIC BEV® BURNER

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is

produced by combusting ethanol vapours and has no direct

Net Zero fireplace with the BEV Technology®

#### FLAME CONTROL

Have control over the fire and take advantage of the 6-stage flame height regulation.

### INTEGRATED CONTROL PANEL

The burner has an intuitive control panel and inlet for automatic refuelling.



### **AUTOMATIC REFILLING SYSTEM**

The automatic pump communicates with the device, delivering the necessary amount of fuel. There is no risk of overfilling the tank or spilling the fuel.

#### **OPTIONAL DECORATIVE TRAY**

Decorative tray with ceramic logs or white stones installed on the burner, behind the fireline.



Control the fire with the included remote, app on your smartphone or home automation system.



#### **BEST BUILD QUALITY**

www.planika.com

**REMOTE CONTROL** 

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estappel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. (stormers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indennify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



### Fire Line Automatic 3 (790mm)

### (BEV Technology®)

Fuel tank capacity	4.3 L
Maximum burn time	9 hours
Maximum heat output	4.4 kW
Minimum room cubature	44 m³
Flame height regulation	6 stages
Weight	24.1 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

### CONTROL OPTIONS







included

'FLA3 NET-ZERO' APP

Control the fire with your smartphone












Tunnel, Room Divider and Island housings require additional glass screens (available separately)



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estappel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. Gustomers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



## FIRE LINE AUTOMATIC 3 (990mm)

## AUTOMATIC BEV® BURNER

Net Zero fireplace with the BEV Technology®

#### FLAME CONTROL

Have control over the fire and take advantage of the 6-stage flame height regulation.

**AUTOMATIC BEV® BURNER** 

The automatic burner with the patented BEV Technology<sup>®</sup> is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapours and has no direct contact with the liquid fuel.

### INTEGRATED CONTROL PANEL

The burner has an intuitive control panel and inlet for automatic refuelling.



### **AUTOMATIC REFILLING SYSTEM**

The automatic pump communicates with the device, delivering the necessary amount of fuel. There is no risk of overfilling the tank or spilling the fuel.

#### **OPTIONAL DECORATIVE TRAY**

Decorative tray with ceramic logs or white stones installed on the burner, behind the fireline.



**BEST BUILD QUALITY** 

app on your smartphone or home

Control the fire with the included remote,

**REMOTE CONTROL** 

automation system.

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

All product specifications and data are subject to change without notice and are believed to be occurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o., Customers using or selling Planika Sp. z o.o. 's products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



### Fire Line Automatic 3 (990mm)

### (BEV Technology®)

Fuel tank capacity	5.5 L
Maximum burn time	10 hours
Maximum heat output	7.0 kW
Minimum room cubature	70 m <sup>3</sup>
Flame height regulation	6 stages
Weight	27.5 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

#### **CONTROL OPTIONS**







included optional

'FLA3 NET-ZERO' APP












Tunnel, Room Divider and Island housings require additional glass screens (available separately)



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons octing on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable low, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estappel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o., Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only



# FIRE LINE AUTOMATIC 3 (1190mm)

## AUTOMATIC BEV® BURNER

Net Zero fireplace with the BEV Technology®

#### FLAME CONTROL

Have control over the fire and take advantage of the 6-stage flame height regulation.

### AUTOMATIC BEV® BURNER

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapours and has no direct contact with the liquid fuel.

#### INTEGRATED CONTROL PANEL

The burner has an intuitive control panel and inlet for automatic refuelling.



### **AUTOMATIC REFILLING SYSTEM**

The automatic pump communicates with the device, delivering the necessary amount of fuel. There is no risk of overfilling the tank or spilling the fuel.

### 0-T L

#### **BEST BUILD QUALITY**

**REMOTE CONTROL** 

automation system.

Control the fire with the included remote,

app on your smartphone or home

OPTIONAL DECORATIVE TRAY

Decorative tray with ceramic logs or white stones installed on the burner, behind the fireline.



The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estappel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. (ustomers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indennify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



### Fire Line Automatic 3 (1190mm)

### (BEV Technology®)

Fuel tank capacity	6.8 L
Maximum burn time	11 hours
Maximum heat output	9.4 kW
Minimum room cubature	94 m³
Flame height regulation	6 stages
Weight	33.0 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

#### CONTROL OPTIONS







included

'FLA3 NET-ZERO' APP














Tunnel, Room Divider and Island housings require additional glass screens (available separately)



All product specifications and data are subject to change without notice and are believed to be occurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (callectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estappel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. (ustomers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



**AUTOMATIC BEV® BURNER** 

contact with the liquid fuel.

## FIRE LINE AUTOMATIC 3 (1490mm)

## AUTOMATIC BEV® BURNER

The automatic burner with the patented BEV Technology<sup>®</sup> is the most advanced product in the industry ensuring the cleanest

burning process without any smoke, smell or ash. The flame is

produced by combusting ethanol vapours and has no direct

Net Zero fireplace with the BEV Technology®

#### FLAME CONTROL

Have control over the fire and take advantage of the 6-stage flame height regulation.

#### INTEGRATED CONTROL PANEL

The burner has an intuitive control panel and inlet for automatic refuelling.



### **AUTOMATIC REFILLING SYSTEM**

The automatic pump communicates with the device, delivering the necessary amount of fuel. There is no risk of overfilling the tank or spilling the fuel.

#### **OPTIONAL DECORATIVE TRAY**

Decorative tray with ceramic logs or white stones installed on the burner, behind the fireline.



### BEST BUILD QUALITY

automation system.

www.planika.com

Control the fire with the included remote,

app on your smartphone or home

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estappel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. (ustomers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indennify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



### Fire Line Automatic 3 (1490mm)

### (BEV Technology®)

Fuel tank capacity	8.6 L
Maximum burn time	11 hours
Maximum heat output	13.0 kW
Minimum room cubature	130 m³
Flame height regulation	6 stages
Weight	39.5 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

### CONTROL OPTIONS







included

### 'FLA3 NET-ZERO' APP

Control the fire with your smartphone












Tunnel, Room Divider and Island housings require additional glass screens (available separately)



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estappel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. Gustomers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



contact with the liquid fuel.

## FIRE LINE AUTOMATIC 3 (1990mm)

### AUTOMATIC BEV® BURNER

Net Zero fireplace with the BEV Technology®

#### FLAME CONTROL


AUTOMATIC BEV® BURNER

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapours and has no direct

Have control over the fire and take advantage of the 6-stage flame height regulation.

#### INTEGRATED CONTROL PANEL

The burner has an intuitive control panel and inlet for automatic refuelling.



### **AUTOMATIC REFILLING SYSTEM**

The automatic pump communicates with the device, delivering the necessary amount of fuel. There is no risk of overfilling the tank or spilling the fuel.

### BEST BUILD QUALITY

app on your smartphone or home

automation system.

www.planika.com

Control the fire with the included remote,

#### **OPTIONAL DECORATIVE TRAY**

Decorative tray with ceramic logs or white stones installed on the burner, behind the fireline.



The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inoccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o. 's terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estopped or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. (ustomers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



### Fire Line Automatic 3 (1990mm)

### (BEV Technology®)

Fuel tank capacity	11.7 L
Maximum burn time	12 hours
Maximum heat output	18.0 kW
Minimum room cubature	180 m <sup>3</sup>
Flame height regulation	6 stages
Weight	49.5 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

### CONTROL OPTIONS







included

luded of

### 'FLA3 NET-ZERO' APP

Control the fire with your smartphone












Tunnel, Room Divider and Island housings require additional glass screens (available separately)



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inoccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



contact with the liquid fuel.

# FIRE LINE AUTOMATIC 3 (2490mm)

### AUTOMATIC BEV® BURNER

Net Zero fireplace with the BEV Technology®

#### FLAME CONTROL

**AUTOMATIC BEV® BURNER** The automatic burner with the patented BEV Technology<sup>®</sup> is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is

produced by combusting ethanol vapours and has no direct

Have control over the fire and take advantage of the 6-stage flame height regulation.

#### INTEGRATED CONTROL PANEL

The burner has an intuitive control panel and inlet for automatic refuelling.



### **AUTOMATIC REFILLING SYSTEM**

The automatic pump communicates with the device, delivering the necessary amount of fuel. There is no risk of overfilling the tank or spilling the fuel.

#### **OPTIONAL DECORATIVE TRAY**

Decorative tray with ceramic logs or white stones installed on the burner, behind the fireline.



### **BEST BUILD QUALITY**

app on your smartphone or home

automation system.

www.planika.com

Control the fire with the included remote,

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o., Customers using or selling Planika Sp. z o.o. 's products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



### Fire Line Automatic 3 (2490mm)

### (BEV Technology®)

Fuel tank capacity	14.8 L
Maximum burn time	12 hours
Maximum heat output	22.5 kW
Minimum room cubature	225 m³
Flame height regulation	6 stages
Weight	58.5 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

# **CONTROL OPTIONS**





included

'FLA3 NET-ZERO' APP












Tunnel, Room Divider and Island housings require additional glass screens (available separately)



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons octing on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This documen does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estopped or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o., Customers using or selling Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only