

# FIRE LINE AUTOMATIC 3+ (590mm) AUTOMATIC BEV® BURNER

Net Zero fireplace with the BEV Technology®

- houride hale

### **AUTOMATIC BEV® BURNER**

The automatic burner with the patented BEV Technology<sup>®</sup> is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapours and has no direct contact with the liquid fuel.

## FLAME CONTROL

Have control over the fire and take advantage of the 6-stage flame height regulation.

### INTEGRATED CONTROL PANEL

The burner has an intuitive control panel and inlet for automatic refuelling.

### AUTOMATIC REFILLING SYSTEM

The automatic pump communicates with the device, delivering the necessary amount of fuel. There is no risk of overfilling the tank or spilling the fuel.

### **OPTIONAL DECORATIVE TRAY**

Decorative tray with ceramic logs or white stones installed on the burner, behind the fireline.



### **REMOTE CONTROL**

Control the fire with the included remote, app on your smartphone or home automation system.


### **BEST BUILD QUALITY**

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.





Fuel tank capacity	9.6 L
Maximum burn time	19 hours
Maximum heat output	3.1 kW
Minimum room cubature	31 m <sup>3</sup>
Flame height regulation	6 stages
Weight	22.4 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, tougher
Application	for indoor use only



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. discloims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.a., Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only

www.planika.com



# FIRE LINE AUTOMATIC 3+ (790mm) AUTOMATIC BEV® BURNER

Julian A. E. L. Luta

Net Zero fireplace with the BEV Technology®

### AUTOMATIC BEV® BURNER

The automatic burner with the patented BEV Technology<sup>®</sup> is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapours and has no direct contact with the liquid fuel. Have control over the fire and take advantage of the 6-stage flame height regulation.

FLAME CONTROL

### INTEGRATED CONTROL PANEL

The burner has an intuitive control panel and inlet for automatic refuelling.

### AUTOMATIC REFILLING SYSTEM

The automatic pump communicates with the device, delivering the necessary amount of fuel. There is no risk of overfilling the tank or spilling the fuel.

### OPTIONAL DECORATIVE TRAY

Decorative tray with ceramic logs or white stones installed on the burner, behind the fireline.




All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o. for any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. (ustomers using or selling Planika Sp. z o.o., for any damages arising or resulting from such use or sale. The images are indicative only.



# Fire Line Automatic 3+ (790m

(BEV Technology®)

Fuel tank capacity	13.4 L
Maximum burn time	29 hours
Maximum heat output	4.4 kW
Minimum room cubature	44 m <sup>3</sup>
Flame height regulation	6 stages
Weight	32.0 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughen
Application	for indoor use only



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z a.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z a.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z a.o. disclaims any and all liability arising out of the application or use of any product. This document does not express or impleteness: contained in any intellectual property rights is granted by this document or by any conduct of the explications or use of any product. This document does not expressive modify Planika Sp. z a.o. for any intellectual property rights is granted by this document or by any conduct of Planika Sp. z a.o.. (ustamers using or selling Planika Sp. z a.o., for any damages arising or resulting from such use or sale. The images are indicative only.

requirements.

**REMOTE CONTROL** 

**BEST BUILD QUALITY** 

automation system.

Control the fire with the included remote,

The product passed extensive tests carried out by the leading certification institutes. It is manufactured

according to UL standards and is O-TL certified,

meeting the most demanding safety and quality

app on your smartphone or home

ım)		included Cor	included	ur smartphone! wailable on the
ned gla		Goog		App Store
	 Tunnel, Ro	oom Divider o nal glass scre	and Island hous eens (available	ings require separately)
	ୁଆ custom length vailable on request		O-TL certifi ufactured to U	



# FIRE LINE AUTOMATIC 3+ (990mm) AUTOMATIC BEV® BURNER

Net Zero fireplace with the BEV Technology®

## **AUTOMATIC BEV® BURNER**

The automatic burner with the patented BEV Technology<sup>®</sup> is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapours and has no direct contact with the liquid fuel. NAM James A. C. Harden

Have control over the fire and take advantage of the 6-stage flame height regulation.

FLAME CONTROL

INTEGRATED CONTROL PANEL The burner has an intuitive control panel and inlet for automatic refuelling.

## AUTOMATIC REFILLING SYSTEM

The automatic pump communicates with the device, delivering the necessary amount of fuel. There is no risk of overfilling the tank or spilling the fuel.

### **OPTIONAL DECORATIVE TRAY**


Decorative tray with ceramic logs or white stones installed on the burner, behind the fireline.



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z a.o., its affiliates, agents, and employees, and all persons octing on its or their behalf (collectively, "Planika Sp. z a.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sole. The images are indicative only.



Fuel tank capacity17.2 LMaximum burn time31 hoursMaximum heat output7.0 kWMinimum room cubature70 m³Flame height regulation6 stagesWeight38.5 kgFuel typebioethanol 95 - 96,6%Fluenot requiredAir change rate1 space volume per hourPower supply230 VFinishblack powder coatingMaterialssteel, galvanized steel, tougherApplicationfor indoor use only		
Maximum heat output 7.0 kW   Minimum room cubature 70 m³   Flame height regulation 6 stages   Weight 38.5 kg   Fuel type bioethanol 95 - 96,6%   Flue not required   Air change rate 1 space volume per hour   Power supply 230 V   Finish black powder coating   Materials steel, galvanized steel, tougher	Fuel tank capacity	17.2 L
Minimum room cubature   70 m³     Flame height regulation   6 stages     Weight   38.5 kg     Fuel type   bioethanol 95 - 96,6%     Flue   not required     Air change rate   1 space volume per hour     Power supply   230 V     Finish   black powder coating     Materials   steel, galvanized steel, tougher	Maximum burn time	31 hours
Flame height regulation   6 stages     Weight   38.5 kg     Fuel type   bioethanol 95 - 96,6%     Flue   not required     Air change rate   1 space volume per hour     Power supply   230 V     Finish   black powder coating     Materials   steel, galvanized steel, tougher	Maximum heat output	7.0 kW
Weight   38.5 kg     Fuel type   bioethanol 95 - 96,6%     Flue   not required     Air change rate   1 space volume per hour     Power supply   230 V     Finish   black powder coating     Materials   steel, galvanized steel, tougher	Minimum room cubature	70 m <sup>3</sup>
Fuel type bioethanol 95 - 96,6%   Flue not required   Air change rate 1 space volume per hour   Power supply 230 V   Finish black powder coating   Materials steel, galvanized steel, toughen	Flame height regulation	6 stages
Flue not required   Air change rate 1 space volume per hour   Power supply 230 V   Finish black powder coating   Materials steel, galvanized steel, toughen	Weight	38.5 kg
Air change rate 1 space volume per hour   Power supply 230 V   Finish black powder coating   Materials steel, galvanized steel, toughen	Fuel type	bioethanol 95 - 96,6%
Power supply 230 V   Finish black powder coating   Materials steel, galvanized steel, tougher	Flue	not required
Finish black powder coating   Materials steel, galvanized steel, toughen	Air change rate	1 space volume per hour
Materials steel, galvanized steel, toughen	Power supply	230 V
	Finish	black powder coating
Application for indoor use only	Materials	steel, galvanized steel, toughen
	Application	for indoor use only



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entriely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.

requirements.

**REMOTE CONTROL** 

**BEST BUILD QUALITY** 

automation system.

Control the fire with the included remote,

The product passed extensive tests carried out by the leading certification institutes. It is manufactured

according to UL standards and is O-TL certified,

meeting the most demanding safety and quality

app on your smartphone or home



# FIRE LINE AUTOMATIC 3+ (1190mm) AUTOMATIC BEV® BURNER

Net Zero fireplace with the BEV Technology®

**AUTOMATIC BEV® BURNER** The automatic burner with the patented BEV Technology<sup>®</sup> is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapours and has no direct contact with the liquid fuel.

INTEGRATED CONTROL PANEL The burner has an intuitive control panel

the 6-stage flame height regulation.

Have control over the fire and take advantage of

FLAME CONTROL

and inlet for automatic refuelling.



## **REMOTE CONTROL**

Control the fire with the included remote, app on your smartphone or home automation system.

## **BEST BUILD QUALITY**

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.



Decorative tray with ceramic logs or white stones installed on the burner, behind the fireline.

The automatic pump communicates with the device,

delivering the necessary amount of fuel. There is no

AUTOMATIC REFILLING SYSTEM


risk of overfilling the tank or spilling the fuel.



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z a.o., its affiliates, agents, and employees, and all persons octing on its or their behalf (collectively, "Planika Sp. z a.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sole. The images are indicative only.



Fuel tank capacity	21.0 L
Maximum burn time	35 hours
Maximum heat output	9.4 kW
Minimum room cubature	94 m <sup>3</sup>
Flame height regulation	6 stages
Weight	44.0 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughen
Application	for indoor use only



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. discloims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.a., Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only



# FIRE LINE AUTOMATIC 3+ (1490mm) AUTOMATIC BEV® BURNER

Net Zero fireplace with the BEV Technology®

### **AUTOMATIC BEV® BURNER**

AUTOMATIC REFILLING SYSTEM

risk of overfilling the tank or spilling the fuel.

The automatic pump communicates with the device,

delivering the necessary amount of fuel. There is no

The automatic burner with the patented BEV Technology<sup>®</sup> is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapours and has no direct contact with the liquid fuel.

FLAME CONTROL Have control over the fire and take advantage of the 6-stage flame height regulation.

## INTEGRATED CONTROL PANEL

The burner has an intuitive control panel and inlet for automatic refuelling.



### **REMOTE CONTROL**

Control the fire with the included remote, app on your smartphone or home automation system.

## **BEST BUILD QUALITY**

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.






All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z a.o., its affiliates, agents, and employees, and all persons octing on its or their behalf (collectively, "Planika Sp. z a.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sole. The images are indicative only.



Fuel tank capacity	26.8 L
Maximum burn time	35 hours
Maximum heat output	13.0 kW
Minimum room cubature	130 m <sup>3</sup>
Flame height regulation	6 stages
Weight	52.5 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughen
Application	for indoor use only



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. discloims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z a.o., Customers using or selling Planika Sp. z a.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z a.o. for any damages arising or resulting from such use or sale. The images are indicative only



# FIRE LINE AUTOMATIC 3+ (1990mm) AUTOMATIC BEV® BURNER

Net Zero fireplace with the BEV Technology®

### **AUTOMATIC BEV® BURNER**

The automatic burner with the patented BEV Technology<sup>®</sup> is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapours and has no direct contact with the liquid fuel.

Have control over the fire and take advantage of the 6-stage flame height regulation.

FLAME CONTROL

### INTEGRATED CONTROL PANEL

The burner has an intuitive control panel and inlet for automatic refuelling.



### **REMOTE CONTROL**

Control the fire with the included remote, app on your smartphone or home automation system.

## **BEST BUILD QUALITY**

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

AUTOMATIC REFILLING SYSTEM

risk of overfilling the tank or spilling the fuel.

**OPTIONAL DECORATIVE TRAY** Decorative tray with ceramic logs or white stones installed on the burner, behind the fireline.

The automatic pump communicates with the device,

delivering the necessary amount of fuel. There is no




All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z a.o., its affiliates, agents, and employees, and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sole. The images are indicative only.

© Copyright 2023, Planika Sp. z o.o. All rights reserved.



Fuel tank capacity	36.3 L
Maximum burn time	36 hours
Maximum heat output	18.0 kW
Minimum room cubature	180 m <sup>3</sup>
Flame height regulation	6 stages
Weight	67.5 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughen
Application	for indoor use only



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. discloims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.a., Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only

www.planika.com



# FIRE LINE AUTOMATIC 3+ (2490mm) AUTOMATIC BEV® BURNER

Henter Marker and the ward of the second of

Net Zero fireplace with the BEV Technology®

### **AUTOMATIC BEV® BURNER**

The automatic burner with the patented BEV Technology<sup>®</sup> is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapours and has no direct contact with the liquid fuel.

### FLAME CONTROL Have control over the fire and take advantage of the 6-stage flame height regulation.

INTEGRATED CONTROL PANEL

The burner has an intuitive control panel and inlet for automatic refuelling.

### AUTOMATIC REFILLING SYSTEM

The automatic pump communicates with the device, delivering the necessary amount of fuel. There is no risk of overfilling the tank or spilling the fuel.

### **OPTIONAL DECORATIVE TRAY**

Decorative tray with ceramic logs or white stones installed on the burner, behind the fireline.




All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z a.o., its affiliates, agents, and employees, and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sole. The images are indicative only.

© Copyright 2023, Planika Sp. z o.o. All rights reserved.



Fuel tank capacity	45.9 L
Maximum burn time	36 hours
Maximum heat output	22.5 kW
Minimum room cubature	225 m <sup>3</sup>
Flame height regulation	6 stages
Weight	81.5 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughen
Application	for indoor use only



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. discloims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.a., Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only

requirements.

**REMOTE CONTROL** 

**BEST BUILD QUALITY** 

automation system.

Control the fire with the included remote,

The product passed extensive tests carried out by the leading certification institutes. It is manufactured

according to UL standards and is O-TL certified,

meeting the most demanding safety and quality

app on your smartphone or home